



**TAURER**

**/// 250**



- 11-Seater Mini Bus
- Multi-Purpose Electric Vehicle
- More Functions
- Cargo Space Configurable
- Super Fast & Slow Charging
- Regenerative Braking
- CCS 1

**5** Years or  
**150,000-km**  
SUPER  
WARRANTY



### PBL Power Endurance Solution

Efficient and powerful motor, energy-saving and environmentally friendly lithium-ion battery, intelligent battery heating system, 2-hour super fast charging technology.



4500mm

### Flexible and variable load space

The body length is 4500mm, the wheelbase is up to 3050mm, the longest in its class, 1.3-5.1 square meters of multi-carrier space.



### Eight Leading Features

Rear View Camera, Power rear-view mirror, central control screen, EPS, remote control key, ABS, power Window.



### No Restrict, Drive Freely

Pure electric vehicles, free from Toll restrictions and traffic restrictions, shuttling freely among the cities.



### Slow Home Charging

3/7.5kW



**GEAR**

SIMPLE 3 STEP SELECTOR

**VERTICAL HEADLIGHTS**



**INSTRUMENT PANEL**



## Good Passing Ability:



### Ground Clearance:

Full load: 170mm

No-load: 190mm




Departure angle:  $11^{\circ}$



Approach angle:  $36^{\circ}$

Pass angle:  $21^{\circ}$

Bigger than most passenger vehicles



Luxurious Leg Space



11-Seater Mini Bus



Twin AC



## FEATURES:

- 11-Seater Mini Bus
- Multi-Purpose EV
- More Functions
- Cargo Space Configurable
- Dual Sliding Doors
- Good Mileage
- Cost-Effective
- Downhill Regenerative
- ABS Brakes
- LED Headlights
- Fog Lights
- CATL Battery
- Half-Integral Reinforced
- Front Anti-collision System<sup>(optional)</sup>
- Safety Cage-type Body
- Wide Vision
- Safety Configuration<sup>(optional)</sup>
- Fire Retardant Roof
- Regenerative Braking
- 11 Point Seat Belts
- Air Conditioning
- Android Display

# MODEL PARAMETERS:

Dimensions Unit: mm



## TOUREK 250 Product Parameter



INTELLIGENT POWER  
SLIDING DOOR SYSTEM  
(OPTIONAL)



PARKING SENSORS



FOOT PEDAL

### DIMENSION & WEIGHT

LxWxH (mm)	4500 * 1680 * 1985
Wheel Base (mm)	3050
Wheel Span Front/Rear (mm)	1435/1435
Curb Weight (kg)	1690
Total Weight (kg)	2600
Seating Capacity (seat)	11
Minimum Turning Circle (m)	10.5
Maximum Climbing Ability	30%
Tire Size	185/70 R14

### PERFORMANCE

Battery	CATL, Lithium Iron Phosphate Battery
Battery Capacity (kwh)	42 kwhr
Motor Type	Permanent Magnet Synchronous Motor
Temperature	●
Max. Power (KW)	60
Max. Torque (N.m)	200
Max. Speed (km/h)	80/90
Charge Time (h)	Slow Charge: 7-8H, Fast charge: 1.3h
Max. Mileage (km)	80km/h with AC 225km (NEDC) 50km/h without AC 250km (NEDC)

### CHASSIS

Front / Rear Suspension

MacPherson Independent Suspension /Leaf-Spring Non-Independent Suspension



tesla-pv.com



0304-0384848  
0304-0EVGUGU



81-G, St.No 6,  
I-10/3, Islamabad